

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORER GUIDE](#)[SUPPORT](#)

Sun, 21 Jun 2009, 12:56:24 PM EST

Edit an existing query or compose a new query in the Search Query Display.

[Search Query Display](#)

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

[Recent Search Queries](#)[Flags](#)

- #1 `((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))`
- #2 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))`
- #3 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark')) and simulate)`
- #4 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))`
- #5 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark')) and identify)`
- #6 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))`
- #7 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark')) and analyzing)`
- #8 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))`
- #9 `(((((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000))<and>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark'))<AND>(((component <near/5> critical</in> metadata)) <and> (pyr >= 1950 <and> pyr <= 2000) and mark')) and ignoring)`

